

कॉलेज छात्रों की बड़ी तादाद कर रही हर माह शराब पर 4 से 8 हजार छापे खर्च

18 की उम्र से पहले ही पीने लगते हैं शराब

कार जा
ने
के
लिए
शराब
पान
करने
वाले
छात्रों
की
तादाद
बढ़ती
चली
जा रही
है।

बड़ दिल्ली | गिरधर चरण

कॉलेजों में शराब पीने वाले छात्र एक माह में शराब में चार हजार रुपये से भी कम खर्च करते हैं। एक छात्र एक माह में शराब खरीदने के लिए 4 से 8 हजार रुपये खर्च कर रहे हैं। कुरुक्षेत्र और हरियाणा के कॉलेजों में शराब पीने वाले छात्रों की तादाद बढ़ती चली जा रही है। शराब पीने वाले छात्रों की तादाद बढ़ती चली जा रही है। शराब पीने वाले छात्रों की तादाद बढ़ती चली जा रही है।

सर्वे के नतीजे

- हरियाणा के 30 कॉलेजों में शराब खरीदने वाले छात्रों की तादाद बढ़ती चली जा रही है।
- 15 सितंबर से 15 अक्टूबर तक शराब खरीदने वाले छात्रों की तादाद बढ़ती चली जा रही है।
- 81 कॉलेजों में शराब खरीदने वाले छात्रों की तादाद बढ़ती चली जा रही है।

दिल्ली में चाहे शराब पीने की मूल्य 25 साल छप है, लेकिन अलग-अलग छात्रों के लिए ये बर अलग है। सर्वे में शामिल 25.5 फीसदी छात्रों ने कहा इसके लिए 18 साल की उम्र सही मानी है, वहीं 54 फीसदी का मानना है कि वार में शराब पीने की उम्र 25 वर्षों के बराबर 21 वर्षों को चाहिए। एडिक्टोरीट व जेठ के सम्बन्धक प्रिन्सिपल ने बताया कि सर्वे में हैरान कर देने वाली कई बातें सामने आई हैं। शराब पीने की उम्र को लेकर छात्रों की लापरवाही के साथ ही प्रशासन और कानून लापरवाही भी इसके बड़े ने अहम है। सर्वे में बताया कि सर्वे में शामिल 15 फीसदी छात्रों में से सिर्फ 15 फीसदी 0.3 फीसदी छात्रों की ही आज तक शराब पीकर गिरफ्तार करने पर जांच हुई है। बाकी 99.7 फीसदी छात्रों का कहना है कि शराब पीने का खर्च देने पर कोई

कंपन या किसी भी तरह के कार्ड में कोई भी नाम नहीं है। सर्वे में 37.3 फीसदी छात्र और 46.5 फीसदी छात्रों ने बताया कि शराब खरीदने के लिए 4000 रुपये खर्च करते हैं, वहीं 38.9 फीसदी छात्रों का आरोप ऐसे है जो ऑफिशियल को अनुमति के साथ हर महीने एडिक्टोरीट पर 8000 रुपये खर्च करते हैं। दिल्ली के एक छात्रों के अनुसार शराब पीने के लिए शराब पीने वाले छात्रों की तादाद बढ़ती चली जा रही है। शराब पीने वाले छात्रों की तादाद बढ़ती चली जा रही है। शराब पीने वाले छात्रों की तादाद बढ़ती चली जा रही है।

इटा ने फूका

सीडी जांच में खिल

11/11/12

11/11/12



You're not alone and you're not the first.

Many of us were sent to our first A.A. meeting by judges as a result of being arrested for drunk driving, family disputes or some other problem involving alcohol. Some of us were sent here by our employers. If you've come to AA for any of these reasons, you probably have some questions. We hope this article answers some of them.

Here's what AA has to say about AA.

Alcoholics Anonymous is a fellowship of men and women who share their experience, strength and hope. Millions of people have found recovery through AA, including many who were sent by the courts or their employers. There are meetings in virtually every country in the world from Australia to Zambia.

British Asian Medical Association-BAMA

Patient information Leaflet

Alcohol Dependence

Dr Claire Poeklington

1. Introduction

Alcohol dependence is a group of symptoms a person has due to drinking too much alcohol for a long period of time. Alcohol dependence is a type of addiction. Not all people admit to having a problem with alcohol, the CAGE questionnaire is often used to identify people who may have such a problem. A 'yes' answer to two questions or more suggests a person has an alcohol problem.

The CAGE questionnaire:

1. Have you ever felt you should Cut down on your drinking?
2. Have people Annoyed you by criticizing your drinking?
3. Have you ever felt bad or Guilty about your drinking?
4. Have you ever had a drink first thing in the morning to steady your nerves or to get rid of a hangover (Eye opener)?

The recommended alcohol intake for a man is 21 units per week and 14 units for a woman. 1 unit is the equivalent of half a pint of beer. 1.5 units is the equivalent of a pub measure of spirits or a small glass of wine.

2. Types

Alcohol dependence is just one problem due to excessive alcohol intake. 'Problem drinking' is an alcohol consumption greater than the recommended intake but without alcohol dependence being a feature. Both alcohol dependence and 'problem drinking' cause physical, psychological and social consequences to the person and has effects upon their family. When someone is said to be alcohol dependent his or her need to consume alcohol takes precedent over other activities in their life.

3. How common is it?

Alcohol dependence is more common in men than woman - 6 out of every 100 men are affected whereas only 2 out of every 100 women are. However 1 in 3 men and 1 in 7 women currently drink more than the recommended alcohol limit.

4. Why does it happen?

There is not just one single cause of alcohol dependence. The condition is a result of several different factors; genetics, the environment and social pressure. People are at an increased risk of becoming alcohol dependent if a relative is or has been - there is a genetic tendency. Children with alcohol dependent parents are four times more likely to develop alcohol dependence. Environment factors, such as occupation and stress, are important. Peer pressure can be very influential. People drink alcohol to relieve anxiety and depression but this is only a short-term solution as in the long-term alcohol makes such problems worse.

5. How does it present?

There are several features of alcohol dependence:

- Compulsion to drink alcohol
- Difficulty controlling alcohol seeking behaviour
- Repeated attempts to unsuccessfully stop drinking
- Withdrawal symptoms when alcohol not consumed
- Tolerance - increasing amounts of alcohol required to achieve desired effects
- Neglect of other interests, activities and alternative sources of pleasure, and increasing amount of time (preoccupation) taken up by obtaining alcohol, drinking and recovering from effects
- Persistent use despite known harmful consequences

Withdrawal syndrome is a cluster of symptoms that occur when someone has been drinking a large amount of a long period and suddenly stops.

British Asian Medical Association-BAMA

Patient information Leaflet

Symptoms include tremor, sweating, nausea, vomiting, agitation, difficulty sleeping (insomnia), confusion, impaired memory, hallucinations (commonly seeing or hearing animals or peoples that are not real). The symptoms of withdrawal syndrome are known as delirium tremens, which is a serious, life-threatening condition. Symptoms cause people to resume drinking.

Side effects of drinking excessive alcohol, rather than the actual drinking problem itself, can lead people to seek medical advice. Various parts of the body can be affected for example

- Liver – cirrhosis, hepatitis
- Stomach – inflammation, ulcers
- Pancreatitis – severe abdominal pain due to alcohol causing inflammation in the pancreas
- Nervous system – nerve damage, epilepsy, head injury from accidents whilst intoxicated, unsteadiness in walking
- Psychological – depression, suicide
- Cardiovascular system – high blood pressure, increased risk of stroke
- In pregnancy – facial abnormalities, low birth weight, low intelligence and learning disabilities are just some features of fetal alcohol syndrome.

Alcohol dependence increases your risk of developing certain types of cancer (liver, stomach, bowel, lung, pancreatic and breast). Poor diet and general neglect causes vitamin deficiencies and an increase susceptibility to infections. Alcohol dependence causes financial difficulties due to cost of increasing amounts of alcohol use and unemployment is common.

6. What tests are available?

As mentioned previously the CAGE questionnaire is commonly used to assess a persons alcohol intake, however other more sophisticated and complex questionnaires are available. A persons level of dependence has to be assessed, this is achieved through sensitive and non-judgemental questioning. Tests are commonly not used to assess alcohol dependence. Investigations, such as blood tests and body scans, are used to assess other

conditions that may be a side effect of excessive alcohol intake.

7. When should people seek help?

People often only seek medical help for alcohol dependence when they are capable of admitting to having a problem with alcohol. Emotion, social or financial repercussions also force people to seek help. Alcohol induced health problems lead to people presenting to a doctor and after careful enquiry drinking problems are identified.

8. What help is available?

Several different options are available to people who have problems with alcohol. These range from self-help through to group therapy; for example the support group Alcoholics Anonymous. Counselling is effective and aims to make a person understand why they drink and provide them with skills to control their drinking. Vitamin supplements can be given to combat dietary deficiencies.

A programme of detoxification is often needed and recommended to enable someone to give up alcohol completely. Detoxification is the process of alcohol withdrawal under the supervision of a doctor, medications – such as benzodiazepine - may be needed to prevent withdrawal symptoms.

9. Long term outcomes

Alcohol dependence can be overcome with determination and will power. Plenty of support is available to advice and supervise a person through this challenging process. Often once people have stopped drinking alcohol they relapse and resume their old patterns of drinking. Most people avoid alcohol completely to prevent this from happening.

10. Other information

www.alcoholics-anonymous.org.uk ←
www.al-anonuk.org.uk
www.dryoutnow.com
www.drinkaware.co.uk

Court-Ordered Into Alcoholics Anonymous

Most people find themselves court-mandated to attend Alcoholics Anonymous meetings as a result of a drunk-driving conviction.^[1] In addition, AA may be ordered for other alcohol-related convictions, as well as certain domestic violence situations.

Due to prison overcrowding and the high cost of incarceration, alternative or diversion programs such as AA will sometimes be offered instead of jail time.^[2]

BOARD
ALCOHOLICS ANONYMOUS

Is alcohol your problem?

Do you need help?

क्या शराब आपकी समस्या है?

क्या आप सहायता चाहते हैं?

FREE HELP

9213873683

We AA Members are doing Alcoholics Anonymous Public Information Awareness Meetings with Students, Hospitals, Police Department, Cluster Areas, Railway Department, Rehabilitation Centres, Bus Depot etc.



दिल्ली को कड़ी धूप से मिली राहत, तेज हवा और बादलों की आवाजाही के चलते गर्मी लगभग उड़न चू हो गई

बुलंद हुड्डा ऐल्काहॉलिकस अनॉनिमस की लड़ाई

नशे के खिलाफ हजारों लोगों की जंग शुरू

दिलीप कुमार खान ॥ नई दिल्ली

उनके कार्टून लोगों को विदेशी शराब को खर से खरंद हो रही है।

ते जिस रहे लोगों के साथ भीड़िया होती है और 12 स्टेज में उन्हें शराब को खर से खरंद नुकसान को बाद दिलाया जाता है।

शराब को बुद्धि, आदर के खिलाफ बलिष्ठ हथौड़ा बनाया जा रहा है। ऐल्काहॉलिकस अनॉनिमस की ओर से भी देशव्यापी अभियान शुरू किया गया। स्कूल या ऐल्काहॉलिकस अनॉनिमस (एए) इस्लाम और एसएसएल कॉलेज स्तर होने के साथ ही देशभर से कई लोग शराब को समस्याओं को लेकर इस अभियान से जुड़ने लगे। मुंबईवासी राम तनू 72 इलाहाबादी इस ग्रुप में शराब से छुटकारा पाने के लिए सक्रिय बन चुके हैं।



उसने शराब को खर से खरंद नुकसान को बाद दिलाया जाता है। उनके इन लोगों से शराबी भांगने के लिए प्रेरित किया जाता है, जिन्हें उसने शराब को खर से खरंद नुकसान को। मोटिंग में सभी मेंबर का सम्मान किया जाता है। सबसे बड़ी बात है कि यहां किसी को कोई लपेट नहीं देनी होती है। मेंबर शारीरिक, मानसिक और सामाजिक रूप से आपस में मदद के लिए जुड़े रहते हैं।


शराब के खिलाफ की सातों से लड़ रहा ग्रुप ऐल्काहॉलिकस अनॉनिमस अब तक भारत में 40 हजार लोगों को शराब छुड़वा चुका है। दिल्ली में लगभग 750 लोग इस ग्रुप में जुड़कर शराब छोड़ चुके हैं। यही नहीं, दुनियाभर में करीब 30 लाख लोग इसकी मदद से शराब से छुटकारा पा चुके हैं।

- ▶ इस्लामाबाद: 09022771011
- ▶ दिल्ली: 9811908707
- ▶ गुरुग्राम, दिल्ली: 9711013502
- ▶ सेंट्रल दिल्ली: 9312286721, 8586881142
- ▶ वेस्ट दिल्ली: 7503485868
- ▶ सिविल लाइंस कॉलेज रोड: 9213873683
- ▶ एसएसएल कॉलेज: गुएरा (पुणे) भाग पता लिखकर 56363 पर एसएसएल कर सकते हैं।

ऐसे मिलेगी मदद: ऐल्काहॉलिकस अनॉनिमस की ओर से बताया गया कि उनके मेंबर अब अपने सभी कार्यों को फ्री करोगे और शराब छोड़ने को लेकर उन्हें टिप्स देंगे। बार में ग्रुप अलग-अलग टैम बदलकर देत के कई दिल्ली में प्रकाश कर्नात के साथ मोटिंग करोगे।

एक्टिव है ग्रुप: यह ऐसे लोगों का ग्रुप है, जो कभी खर शराब के आदी हैं। इस ग्रुप का मतलब है: लोगों को प्राय: एकना, जिनको खर को और

यहां की कल: इस अभियान के तहत दिल्ली में दो कलें तैयार बनाए गए हैं। सबसे दिन 24 से पहले वाले इस कल में देशभर से आने वालों को सिखाया जाता है। सिविल लाइंस रोड, गुएरा, पुणे के पास और कोयल परतों की। कलेंसेटर के लिए वेब का इस्तेमाल करते हैं। धरमपाल विंग में कहा कि सातपटी को बेहतर बनाया है तो सभी लोगों को इस तरह की कलेंसेटर को सपोर्ट करना चाहिए।







શ્રી યોગેશ્વર સ્વામી શાસ્ત્રીજી
શ્રી યોગેશ્વર સ્વામી શાસ્ત્રીજી
M. 9213873683, 8586809201, 7982838715













Shot on narzo 50A

2023 09 21 14 03